US ISSN 0013 8746

ANNALS *of the*

ENTOMOLOGICAL SOCIETY OF AMERICA

VOLUME 92—1999

Published by the ENTOMOLOGICAL SOCIETY OF AMERICA

Sustaining Associates

Sustaining Associates of the Entomological Society of America promote continuing programs of the society, support current entomological activities within the public community, and advance a better understanding of entomology. The following are Sustaining Associates for 1999. The Entomological Society of America is grateful for their support.

BASF Corporation
Research Triangle Park, North Carolina

Bedoukian Research, Inc.
Danbury, Connecticut

DEKALB Genetics Corporation
DeKalb, Illinois

Dow AgroSciences
Indianapolis, Indiana

Griffin L.L.C.
Valdosta, Georgia

Gustafson, Inc.
Dallas, Texas

Novartis Corporation
Greensboro, North Carolina

Percival Scientific, Inc.
Boone, Iowa

R & D Sprayers, Inc.
Los Angeles, California

Rohm & Haas
Philadelphia, Pennsylvania

Zeneca Agricultural Products
Richmond, California

Annals
of the
Entomological Society of America

Volume 92

LEO E. LACHANCE
DONALD G. COCHRAN
Co-Editors

THOMAS A. MILLER
Commemorative Issue Editor

RICHARD ZACK
Book and Media Review Editor

ALAN KAHAN
Director of Communications

JEANNIE WIMBUSH ALLEN
Production Editor

MAGGIE A. MEITZLER
Manuscript Editor

EDITORIAL BOARD

ALBERTO B. BROCE, *Chair*
Manhattan, KS
Section D, 2000

DAVID C. MARGOLIES
Manhattan, KS
Section C, 2001

KATHLEEN S. SHIELDS
Hamden, CT
Section B, 2002

JOHN D. OSWALD
College Station, TX
Section A, 2003

NORMAN F. JOHNSON
Columbus, OH
Section A, 1999

GOVERNING BOARD

C. Y. OSETO
West Lafayette, IN
President

G. G. KENNEDY
Raleigh, NC
Past–President

S. S. QUISENBERRY
Bozeman, MT
President-Elect

K. S. SHIELDS
Hamden, CT
Secretary–Treasurer

S. P. WHITNEY
Newark, DE
Eastern Branch

L. L. LARSON
Indianapolis, IN
North Central Branch

R. A. REDAK
Riverside, CA
Pacific Branch

G. A. HERZOG
Tifton, GA
Southeastern Branch

M. R. TROSTLE
Austin, TX
Southwestern Branch

M. A. IVIE
Bozeman, MT
Section A

N. E. BECKAGE
Riverside, CA
Section B

T. O. HOLTZER
Ft. Collins, CO
Section C

G. R. MULLEN
Auburn, AL
Section D

W. F. GIMPEL
Annapolis, MD
Section E

D. C. HERZOG
Quincy, FL
Section F

J. E. OLMES
Lanham, MD
Executive Director

© 1999, Entomological Society of America

The *Annals of the Entomological Society of America* (ISSN 0013-8746) is published bimonthly (January, March, May, July, September, and November) by the Entomological Society of America, 9301 Annapolis Road, Lanham, MD 20706–3115; (301) 731-4535; FAX (301) 731-4538. The journal is printed by Cadmus Journal Services, 2905 Byrdhill Road, Richmond, VA 23228. Periodicals postage is paid at Lanham, MD, and at additional mailing offices.

Postmaster: Send change of address forms to *Annals of the Entomological Society of America*, ESA, 9301 Annapolis Road, Lanham, MD 20706–3115.

Inquiries regarding content, subscriptions, advertising, availability of back issues, change of address, general business matters, and manuscripts should be sent to the Publications Office, ESA, 9301 Annapolis Road, Lanham, MD 20706–3115. For information about the preparation of manuscripts, authors are urged to consult "Information for Contributors," which is printed on the inside back cover of most issues, or our *Publishing with ESA Style Guide*, located on the ESA website at http://www.entsoc.org.

Articles report the results of research only. Mention of a pesticide or a commercial or proprietary product does not constitute an endorsement or recommendation for its use. Authors are entirely responsible for statements made, whether of fact or opinion. Registered names and trademarks, etc., used in this publication, even without specific indication thereof, are not to be considered unprotected by law.

Photocopies. Permission to photocopy journal articles for internal or personal use is granted by the Entomological Society of America provided that a fee of $2.00 per copy is paid directly to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Individuals may make a single copy for personal use without charge. This consent does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Subscriptions. 1999 prices: nonmember individuals, $81; institutions, $156. To the above add $20 for shipping outside the continental United States. Send payment to Annals Subscriptions, ESA, P.O. Box 177, Hyattsville, MD 20781. Inquiries should be directed to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706–3115; (301) 731-4535; FAX (301) 731-4538.

Back Issues	ESA member domestic	ESA member foreign	Non-member domestic	Non-member foreign
Single Issue	$10.40	$11.40	$34.00	$35.00
Volume	62.40	68.40	204.00	210.00

All prices include handling and shipping by surface mail. For a list of available issues, write to ESA Sales, 9301 Annapolis Road, Lanham, MD 20706–3115. Back volumes are available in microform from University Microfilms International, 300 North Zeeb Road, Ann Arbor, MI 48106.

CUMULATIVE AUTHOR INDEX
Annals of the Entomology Society of America
Volume 92, 1999

A
Adams, T. S., 1
Adán, A., 144
Agustí, N., 56
Alberti, A. C., 731
Alyokhin, A. V., 230
Antolin, M. F., 110
Aramburu, J., 56
Ascoli-Christensen, A., 873
Atkinson, P. W., 930
Atrie, B., 243
Awande, S., 766

B
Bahena, F., 144
Baird, C. R., 370
Bandi, C., 292
Banschbach, V. S., 414
Bastidas, H., 236
Beard, C. B., 937
Beatty, J., 772
Becker, E. C., 615
Bentz, J.-A., 774
Berenbaum, M. R., 447, 971
Bernays, E. A., 944
Bezemer, T. M., 724
Black, W. C., IV, 117
Blay, S., 278
Bloem, K. A., 222
Bloem, S., 222
Bloomquist, J. R., 902
Borgemeister, C., 766
Brady, S. G., 514
Brown, B. V., 308
Budia, F., 144

C
Calcagno, G., 571, 731
Calkins, C. O., 222
Carlton, C. E., 435
Carpenter, J. E., 222
Castle, S. J., 840
Cavalheiro, M., 702
Chacon-Almeida, V.M.L., 549
Chapco, W., 617
Chapman, R. F., 873
Chen, Y. P., 578
Christensen, T. A., 891
Clayton, D. H., 675
Colwell, R. K., 952
Cooper, S.J.B., 20
Copren, K. A., 269
Cordon-Rosales, C., 937
Cortinas, M. R., 829
Crocker, R. L., 47
Cronin, A. L., 707

D
Da Cruz, I.B.M., 130, 702
Danforth, B. N., 624
Davis, N. T., 891
Day, W. H., 370
Del Estal, P., 144
deOliveira, A. K., 702
Dhileepan, K., 717
Downie, D. A., 376
Duque, M. C., 236
Durvasula, R. V., 937

E
Ebert, P. R., 167
English-Loeb, G., 376
Escalona, L. E., 236

F
Fereres, A., 542
Ferro, D. N., 230

G
Gabarra, R., 56
Gadau, J., 514
Galanihe, L. D., 748
Getty, G. M., 269
Getz, W. M., 861
Gilbert, L. E., 198
Goergen, G., 766
Goodisman, M.A.D., 563
Goodwin, M., 937
Grandcolas, P., 285, 303
Granett, J., 376
Grasela, J. J., 442
Green, E. S., 447
Greenstone, M. H., 71
Guerra, R., 198
Gumbs, A., 937
Guzmán-Novoa, E., 167

H
Hamilton, K.G.A., 312
Harrington, T. C., 98
Harris, M. O., 748
Haverty, M. I., 269
Haynes, K. F., 960
Heimpel, G. E., 110
Herbers, J. M., 414
Hess, C. A., 63
Hildebrand, J. G., 891
Hirose, Y., 537
Holloway, A. K., 110
Howard, R. W., 880
Hoy, C. W., 523
Hunt, G. J., 167

I
Irwin, M. E., 542, 644
Isard, S. A., 829
Ivie, M. A., 686
Iwahashi, O., 182, 639

J
Jang, E., 758
Jensen, A. S., 359, 488
Jones, C. J., 829
Jones, T. H., 724

K
Kamble, S. T., 556
Kampmeier, G. E., 542
Kawaguchi, M., 101
Kawazoe, E. A., 198
Kelley, C. D., 53
Kelley, S. T., 193
Kinnee, S. A., 167
Kirk, A. A., 430

Klompen, J.S.H., 117
Knight, K. J., 724
Knipple, D. C., 909
Kollárová, I., 250
Koon, D. W., 459
Koulianos, S., 355
Krafsur, E. S., 260
Kroger, A., 937
Kruglov, O., 937
Kuperus, W. R., 617

L

Lacey, L. A., 430
Lambdin, P. L., 188
Landau, D., 435
Landry, B., 40
Lawless, L. S., 139
Lemon, W. C., 861
Lewis, V. R., 269
Lin, H., 376
Litzenberger, G., 617
López-Arroyo, J. I., 208, 587
Loudon, C., 153
Lu, W., 686

M

Mack, P. D., 563
Malaguido, A. B., 424
Malavasi, A., 758
Malheiros, E. B., 549
Manso, F., 571
Marec, F., 250
Matis, J. H., 47
Mbata, G. N., 594
Mcculloh, K., 153
McGlynn, T. P., 53
McInnis, D. O., 758
Mcintosh, A. H., 442
McMichael, M., 175
Meredith, J. A., 891
Millar, L., 430
Miller, G. L., 488
Miller, S. A., 523
Mitter, C., 798
Mitton, J. B., 193
Morales-Ramos, J. A., 98
Morjan, W. E., 260
Morrison, L. W., 198, 308

N

Naeem, S., 952
Nailon, W. T., Jr., 47
Nakashima, Y., 537
Nalepa, C. A., 292
Nault, L. R., 523
Neal, J. W., Jr., 774
New, T. R., 631, 853
Newington, J. E., 724
Nielsen, D. I., 167
Nishida, G., 529
Norris, D. E., 117
Norry, F. M., 571

O

O'Brochta, D. A., 930
Obrycki, J. J., 260
Oliveira, A. K., 130

P

Page, R. E., 167
Paine, T. D., 159, 193
Panackal, A., 937
Panizzi, A. R., 424
Pansera-de-Araujo, M.C.G., 130, 702
Pantoja, A., 236
Park, N.-J., 556
Parra, L. E., 460
Passoa, S., 971
Pavelka, J., 250
Pearse, D. E., 563
Peck, S. B., 529
Perring, T. M., 430
Phillips, P. K., 451
Pillai, M.K.K., 243
Poehling, H.-M., 766
Powell, J. A., 40, 473
Price, R. D., 675
Prowell, D., 435
Prowell, D. P., 175

R

Raman, A., 717
Ramaswamy, S. B., 594
Ramirez, L. M., 236
Rao, S. R. V., 243
Reineke, A., 737
Rendon, P., 758
Reyes, S. G., 20
Richards, F. F., 937
Rojas, M. G., 98
Ross, K. G., 563
Rubinoff, D., 473

S

Saidman, B. O., 731
Sanborn, A. F., 451
Sánchez-Ortega, A., 218
Sandanayake, M., 748
Schaefer, C. W., 14
Schäfer, K., 766
Scheffer, S. J., 742
Scholz, D., 766
Schwarz, M. P., 20, 707
Setamou, M., 766
Sharma, V. P., 243
Shaw, S. R., 370
Shu, S., 594
Six, D. L., 159
Sláma, K., 916
Soares, A.E.E., 549
Soderlund, D. M., 909
Sperling, F.A.H., 40
Stanley, D. W., 880
Stoetzel, M. B., 488
Strand, M. R., 110
Styer, J., 523
Subbarao, S. K., 243
Sugayama, R., 758

T

Tanaka, T., 101
Taneja, J., 937
Tauber, C. A., 208, 587
Tauber, M. J., 208, 587
Teal, P.E.A., 891
Thompson, C. F., 108
Thornton, I.W.B., 631
Tierno de Figueroa, J. M., 218
Tschinkel, W. R., 63, 80

U

Ueno, T., 601, 609

V

van Emden, H. F., 788
van Sauers-Muller, A., 758
Vera, M. T., 571
Verdyck, P., 30
Vilardi, J. C., 571, 731
Villavaso, E. J., 382, 396, 403
Vinson, S. B., 578, 812
Viñuela, E., 144

W

Wagner, T. L., 382, 396, 403
Walker, L. E., 902
Walker, M. A., 376
Wang, Q., 631
Ward, P. S., 514
Wcislo, W. T., 239, 624
Webb, D. W., 644
Wigfull, P., 529
Willers, J. L., 396
Woodruff, R. E., 47
Wraight, C. L., 447

Y

Yeargan, K. V., 960
Yee, W. L., 90
Yuval, B., 278

Z

Zack, R. S., 312, 615
Zebitz, C.P.W., 737
Zhou, X., 523
Zhu, Y.-C., 71

CUMULATIVE SUBJECT INDEX
Annals of the Entomology Society of America
Volume 92, 1999

A

acoustic behavior,
  cicadas, 451
  crepitation, 451
  Platypedia putnami, 451
  sound pressure level, 451
  timbal song, 451
adult prediapause development,
  Anthonomus grandis grandis, 403
  cotton, 403
  simulation model, 403
aedeagal length, 182, 639
  Bactrocera carambolae, 639
  Bactrocera dorsalis complex, 182, 639
  Bactrocera occipitalis, 182
  Bactrocera papayae, 639
  Bactrocera philippinensis, 182
  fruit flies, 182
  Fruit flies, 639
  sympatric species, 182, 639
aeriferous tracheae,
  CO_2 elimination, 916
  CO_2 releasing organs, 916
  insect breathing, 916
  inspirations, 916
  respiratory acidaemia, 916
aerobiology,
  house fly, 829
  migration, 829
  screwworm, 829
  stable fly, 829
  vector-borne disease, 829
Africanized honey bees,
  Apis mellifera scutellata, 167
  mitochondrial genotype, 167
  morphometrics, 167
  race identification, 167
aggression,
  competition, 269
  fighting, 269
  kin recognition, 269
  Reticulitermes, 269
  subterranean termites, 269
Agromyzidae,
  genetic constraints, 742
  genetic variation, 742
  host range evolution, 742
  leafminer, 742
  novel host, 742
alfalfa,
  biological control, 370
  Lygus, 370
  parasites, 370
  Peristenus, 370
allodapine,
  bee, 707
  Exoneura, 707
  habitat variation, 707
  life cycle, 707
  sociality, 707
allodapine bees,
  Exoneurella, 20
  mitochondrial DNA, 20
allomone,
  communication, 960
  eavesdropper, 960
  kairomone, 960
  predator, 960
  prey, 960
allozymes, 30, 230, 731
  Anastrepha fraterculus, 731
  biochemical systematics, 30
  cellulose acetate gel electrophoresis, 230
  Chrysomelidae, 30
  Leptinotarsa decemlineata, 230
  phosphoglucomutase, 230
  Phyllotreta, 30
  population structure, 731
  sperm precedence, 230
ambrosia,
  coffee, 98
  Fusarium solani, 98
  Hypothenemus hampei, 98
  Nectria hematococca, 98
anal vesicle,
  circadian rhythm, 101
  Cotesia kariyai, 101
  endoparasitoid, 101
  Pseudaletia separata, 101
Anastrepha fraterculus,

allozymes, 731
population structure, 731
Androlaelaps casalis,
conservation biology, 108
Dermanyssus hirundinis, 108
ectoparasite, 108
house wren, 108
mites, 108
Anopheles annularis,
inversion polymorphism, 243
Polytene chromosomes, 243
sibling species, 243
ant community,
nest relocation, 414
polydomy, 414
spatial position, 414
antennal lobe,
local field potential oscillations, 861
projection neurons, 861
rate code, 861
receptor neurons, 861
temporal code, 861
Anthocoridae,
climatic distribution, 537
cost of reproduction, 537
predator–prey interaction, 537
resource allocation, 537
Anthonomus caracasius,
Anthonomus sisyphus, 90
ecology, 90
fruit infestation, 90
Malpighia glabra, 90
Anthonomus grandis grandis, 382, 396, 403
adult prediapause development, 403
cotton, 382, 396, 403
diapause, 382, 396
model, 382, 396
simulation model, 403
Anthonomus sisyphus,
Anthonomus caracasius, 90
ecology, 90
fruit infestation, 90
Malpighia glabra, 90
ants,
Epiperipatus, 53
leaf litter, 53
microhabitat, 53
Aphelinidae,
Aphelinus, 71
aphid, 71
Aphididae, 71
biological control, 71
parasitoid, 71
Aphelinus,
Aphelinidae, 71
aphid, 71
Aphididae, 71
biological control, 71
parasitoid, 71
aphid,
Aphelinidae, 71
Aphelinus, 71
Aphididae, 71
biological control, 71
parasitoid, 71
Aphididae, 71, 488
Aphelinidae, 71
Aphelinus, 71
aphid, 71
Aphids, 488
biological control, 71
Hyalomyzus, 488
parasitoid, 71
Aphids,
Aphididae, 488
aphids,
climate change, 724
Ecotron, 724
herbivory, 724
Aphids,
Hyalomyzus, 488
aphids,
plant-insect interactions, 724
populations, 724
Apis mellifera scutellata,
Africanized honey bees, 167
mitochondrial genotype, 167
morphometrics, 167
race identification, 167
Apis millifera,
cold shock, 549
development, 549
split sting, 549
apple skinworm,
Argyrotaenia citrana, 40
California Channel Islands, 40
hybridization, 40
Argentina,
Chile, 460
Ennominae, 460
Lithinini, 460

taxonomy, 460
Argyrotaenia,
Cupressaceae, 473
Juniperus, 473
phylogenetics, 473
systematics, 473
Argyrotaenia citrana,
apple skinworm, 40
California Channel Islands, 40
hybridization, 40
attractiveness,
coexistence, 578
queen aggregation, 578
red imported fire ant, 578
avermectin,
ibotenic acid, 902
neurotransmitter, 902
Pieris rapae, 902
spider toxin, 902

B

Bactrocera,
carambola fruit fly, 758
hybridization, 758
light intensity, 758
oriental fruit fly, 758
sterile insects, 758
Bactrocera carambolae,
aedeagal length, 639
Bactrocera dorsalis complex, 639
Bactrocera papayae, 639
Fruit flies, 639
sympatric species, 639
Bactrocera dorsalis complex, 182, 639
aedeagal length, 182, 639
Bactrocera carambolae, 639
Bactrocera occipitalis, 182
Bactrocera papayae, 639
Bactrocera philippinensis, 182
fruit flies, 182
Fruit flies, 639
sympatric species, 182, 639
Bactrocera occipitalis,
aedeagal length, 182
Bactrocera dorsalis complex, 182
Bactrocera philippinensis, 182
fruit flies, 182
sympatric species, 182
Bactrocera papayae,
aedeagal length, 639
Bactrocera carambolae, 639
Bactrocera dorsalis complex, 639
Fruit flies, 639
sympatric species, 639
Bactrocera philippinensis,
aedeagal length, 182
Bactrocera dorsalis complex, 182
Bactrocera occipitalis, 182
fruit flies, 182
sympatric species, 182
bark beetles,
cospeciation, 159
Dendroctonus, 159
mycangia, 159
mycangial fungi, 159
Ophiostoma, 159
Bathysmatophorini,
biogeography, 312
Cicadellidae, 312
Errhomus, 312
new species, 312
subspecies, 312
bee,
allodapine, 707
Exoneura, 707
habitat variation, 707
life cycle, 707
sociality, 707
behavior,
defense, 880
ecology, 880
host-parasite relationships, 880
reproduction, 880
Bemisia,
crawler experience, 774
phenotypic plasticity, 774
plant resistance, 774
Trialeurodes, 774
whiteflies, 774
Bemisia argentifolii,
cold storage, 430
Encarsia formosa, 430
rearing, 430
biochemical systematics,
allozymes, 30
Chrysomelidae, 30
Phyllotreta, 30
biodiversity,
conservation, 435
diversity estimators, 435
Lepidoptera, 435
species richness, 435
biogeography, 285, 303, 312

Bathysmatophorini, 312
Blattaria, 285, 303
Cicadellidae, 312
cockroaches, 285, 303
Cryptocercus, 285
Cryptocercus, 303
Errhomus, 312
new species, 312
Polyphagidae, 303
subspecies, 312
symbiosis, 285, 303
biological control, 71, 198, 208, 260, 370, 587, 609, 717
alfalfa, 370
Aphelinidae, 71
Aphelinus, 71
aphid, 71
Aphididae, 71
body size, 260
Ceraeochrysa cincta, 587
Ceraeochrysa spp., 208
development, 208
dispersal, 198
fecundity, 587
fitness traits, 260
Galleria mellonella, 609
galling behavior, 717
host suitability, 609
inbreeding depression, 260
lacewing, 587
ladybeetles, 260
life-tables, 208
Lygus, 370
parasites, 370
parasitism, 198
parasitoid, 71
parasitoids, 609
Parthenium, 717
Peristenus, 370
phenology, 198
photoperiod, 208
Pimla parnarae, 609
Propylea quatuordecimpunctata, 260
Pseudacteon, 198
qualitative evaluation, 717
reproduction, 208
sex ratio, 609
Solenopsis, 198
sperm depletion, 587
spermatophore, 587
Blattaria, 285, 292, 303
biogeography, 285, 303
cockroaches, 285, 303
Cryptocercus, 285
Cryptocercus, 292, 303
fossils, 292
geoflora, 292
molecular clock, 292
Polyphagidae, 303
symbiosis, 285, 292, 303
Blattella,
cockroach, 139
morphology, 139
Blattella germanica,
cockroach, 556
distribution, 556
esterase, 556
inhibition, 556
body size,
biological control, 260
fitness traits, 260
inbreeding depression, 260
ladybeetles, 260
Propylea quatuordecimpunctata, 260
Bostrichidae,
cassava, 766
Dinoderus bifoveolatus, 766
host-finding behavior, 766
Prostephanus truncatus, 766
Rhyzopertha dominica, 766
Bracon,
complementary sex determination, 110
diploid males, 110
Hymenoptera, 110
brood parasitism,
masculinization, 239
Paralictus asteris, 239
phenocopy, 239
sex transfer, 239
social parasitism, 239
bumblebees,
cytochrome b, 355
cytochrome oxidase I, 355
mitochondrial DNA, 355
phylogeny, 355
Pyrobombus, 355

C

California Channel Islands,
apple skinworm, 40
Argyrotaenia citrana, 40
hybridization, 40

Calophyllum,
Coccoidea, 188
Polea, 188
taxonomy, 188
Camponotus quercicola,
cytochrome oxidase I, 514
life history, 514
phylogeny, 514
polygyny, 514
taxonomy, 514
carambola fruit fly,
Bactrocera, 758
hybridization, 758
light intensity, 758
oriental fruit fly, 758
sterile insects, 758
cassava,
Bostrichidae, 766
Dinoderus bifoveolatus, 766
host-finding behavior, 766
Prostephanus truncatus, 766
Rhyzopertha dominica, 766
caste,
fire ants, 563
genetic effects, 563
introduced species, 563
polygyny, 563
Solenopsis invicta, 563
cellulose acetate gel electrophoresis,
allozymes, 230
Leptinotarsa decemlineata, 230
phosphoglucomutase, 230
sperm precedence, 230
Ceraeochrysa cincta,
biological control, 587
fecundity, 587
lacewing, 587
sperm depletion, 587
spermatophore, 587
Ceraeochrysa spp.,
biological control, 208
development, 208
life-tables, 208
photoperiod, 208
reproduction, 208
Cerambycidae,
distribution, 631
pest, 631
Phoracantha, 631
phylogeny, 631
Ceratitis capitata,
courtship behavior, 571
lek, 571
mate choice, 571
morphology, 571
sexual selection, 571
Chagas disease,
CRUZIGARD, 937
endosymbionts, 937
paratransgenesis, 937
Rhodnius prolixus, 937
single-chain antibodies, 937
Chile,
Argentina, 460
Ennominae, 460
Lithinini, 460
taxonomy, 460
Chrysomelidae,
allozymes, 30
biochemical systematics, 30
Phyllotreta, 30
cicadas,
acoustic behavior, 451
crepitation, 451
Platypedia putnami, 451
sound pressure level, 451
timbal song, 451
Cicadellidae,
Bathysmatophorini, 312
biogeography, 312
Errhomus, 312
new species, 312
subspecies, 312
circadian rhythm,
anal vesicle, 101
Cotesia kariyai, 101
endoparasitoid, 101
Pseudaletia separata, 101
cladistics,
classification, 359
Dialeurodes, 359
whitefly, 359
classification,
cladistics, 359
Dialeurodes, 359
whitefly, 359
climate change,
aphids, 724
Ecotron, 724
herbivory, 724
plant-insect interactions, 724
populations, 724

climatic distribution,
Anthocoridae, 537
cost of reproduction, 537
predator–prey interaction, 537
resource allocation, 537
CO_2 elimination,
aeriferous tracheae, 916
CO_2 releasing organs, 916
insect breathing, 916
inspirations, 916
respiratory acidaemia, 916
CO_2 releasing organs,
aeriferous tracheae, 916
CO_2 elimination, 916
insect breathing, 916
inspirations, 916
respiratory acidaemia, 916
Coccoidea,
Calophyllum, 188
Polea, 188
taxonomy, 188
cockroach, 139, 556
Blattella, 139
Blattella germanica, 556
distribution, 556
esterase, 556
inhibition, 556
morphology, 139
cockroaches, 285, 303
biogeography, 285, 303
Blattaria, 285, 303
Cryptocercus, 285
Cryptocercus, 303
Polyphagidae, 303
symbiosis, 285, 303
coevolution,
Depressariinae, 971
Elachistidae, 971
insect–plant interactions, 971
phylogeny, 971
coexistence,
attractiveness, 578
queen aggregation, 578
red imported fire ant, 578
coffee,
ambrosia, 98
Fusarium solani, 98
Hypothenemus hampei, 98
Nectria hematococca, 98
cold shock,
Apis millifera, 549
development, 549
split sting, 549
cold storage,
Bemisia argentifolii, 430
Encarsia formosa, 430
rearing, 430
colony growth,
colony size, 80
development, 80
Florida harvester ant, 80
seasonality, 80
seed storage, 80
colony size,
colony growth, 80
development, 80
Florida harvester ant, 80
seasonality, 80
seed storage, 80
Columbicola,
Columbiformes, 675
Ischnocera, 675
New World, 675
taxonomy, 675
Columbiformes,
Columbicola, 675
Ischnocera, 675
New World, 675
taxonomy, 675
communication,
allomone, 960
eavesdropper, 960
kairomone, 960
predator, 960
prey, 960
community ecology,
Crematogaster ashmeadi, 63
Pinus elliotti, 63
Pinus palustris, 63
red-cockaded woodpecker, 63
species diversity, 63
competition,
aggression, 269
fighting, 269
kin recognition, 269
Reticulitermes, 269
subterranean termites, 269
complementary sex determination,
Bracon, 110
diploid males, 110
Hymenoptera, 110
conservation,

biodiversity, 435
diversity estimators, 435
Lepidoptera, 435
species richness, 435
conservation biology,
Androlaelaps casalis, 108
Dermanyssus hirundinis, 108
ectoparasite, 108
house wren, 108
mites, 108
conservation legislation,
endangered species, 853
habitats, 853
Red Lists, 853
cospeciation,
bark beetles, 159
Dendroctonus, 159
mycangia, 159
mycangial fungi, 159
Ophiostoma, 159
cost of reproduction,
Anthocoridae, 537
climatic distribution, 537
predator–prey interaction, 537
resource allocation, 537
Cotesia kariyai,
anal vesicle, 101
circadian rhythm, 101
endoparasitoid, 101
Pseudaletia separata, 101
cotton, 382, 396, 403
adult prediapause development, 403
Anthonomus grandis grandis, 382, 396, 403
diapause, 382, 396
model, 382, 396
simulation model, 403
courtship behavior,
Ceratitis capitata, 571
lek, 571
mate choice, 571
morphology, 571
sexual selection, 571
crawler experience,
Bemisia, 774
phenotypic plasticity, 774
plant resistance, 774
Trialeurodes, 774
whiteflies, 774
Crematogaster ashmeadi,
community ecology, 63
Pinus elliotti, 63
Pinus palustris, 63
red-cockaded woodpecker, 63
species diversity, 63
crepitation,
acoustic behavior, 451
cicadas, 451
Platypedia putnami, 451
sound pressure level, 451
timbal song, 451
crop diversification,
insecticide resistance, 840
natural enemies, 840
pest outbreaks, 840
secondary primary pests, 840
CRUZIGARD,
Chagas disease, 937
endosymbionts, 937
paratransgenesis, 937
Rhodnius prolixus, 937
single-chain antibodies, 937
Cryptocercus,
biogeography, 285
Cryptocercus,
biogeography, 303
Cryptocercus,
Blattaria, 285
Cryptocercus, 292, 303
Blattaria, 292, 303
Cryptocercus,
cockroaches, 285
Cryptocercus, 292, 303
cockroaches, 303
fossils, 292
geoflora, 292
molecular clock, 292
Polyphagidae, 303
Cryptocercus,
symbiosis, 285
Cryptocercus, 292, 303
symbiosis, 292, 303
Cupressaceae,
Argyrotaenia, 473
Juniperus, 473
phylogenetics, 473
systematics, 473
Cydia pomonella,
fruit damage, 222
inherited sterility, 222
sterile insect technique, 222
cytochrome b,

bumblebees, 355
cytochrome oxidase I, 355
mitochondrial DNA, 355
phylogeny, 355
Pyrobombus, 355
cytochrome oxidase I, 355, 514
bumblebees, 355
Camponotus quercicola, 514
cytochrome b, 355
life history, 514
mitochondrial DNA, 355
phylogeny, 355, 514
polygyny, 514
Pyrobombus, 355
taxonomy, 514

D

Daktulosphaira vitifoliae,
genetic diversity, 376
random amplified polymorphic DNA, 376
Vitis, 376
Dasineura mali,
eclosion, 748
host-finding, 748
mating, 748
oviposition, 748
sex pheromones, 748
DDT,
genetic, 909
house fly, 909
knockdown resistance, 909
pyrethroids, 909
defense,
behavior, 880
ecology, 880
host-parasite relationships, 880
reproduction, 880
Dendroctonus,
bark beetles, 159
cospeciation, 159
mycangia, 159
mycangial fungi, 159
Ophiostoma, 159
Dendroctonus brevicomis,
mitochondrial DNA, 193
ponderosa pine, 193
speciation, 193
Depressariinae,
coevolution, 971
Elachistidae, 971
insect–plant interactions, 971
phylogeny, 971
Dermanyssus hirundinis,
Androlaelaps casalis, 108
conservation biology, 108
ectoparasite, 108
house wren, 108
mites, 108
development, 80, 208, 549
Apis millifera, 549
biological control, 208
Ceraeochrysa spp., 208
cold shock, 549
colony growth, 80
colony size, 80
Florida harvester ant, 80
life-tables, 208
photoperiod, 208
reproduction, 208
seasonality, 80
seed storage, 80
split sting, 549
developmental time,
embryo morphology, 130
Noctuidae, 130
oviposition rate, 130
viability, 130
Dialeurodes,
cladistics, 359
classification, 359
whitefly, 359
diapause, 382, 396
Anthonomus grandis grandis, 382, 396
cotton, 382, 396
model, 382, 396
diet breadth,
generalist, 944
host plant choice, 944
neural constraints, 944
selective attention, 944
specialist, 944
Dinoderus bifoveolatus,
Bostrichidae, 766
cassava, 766
host-finding behavior, 766
Prostephanus truncatus, 766
Rhyzopertha dominica, 766
diploid males,
Bracon, 110
complementary sex determination, 110

Hymenoptera, 110
dispersal, 198, 523
biological control, 198
Macrosteles quadrilineatus, 523
movement, 523
parasitism, 198
phenology, 198
phytoplasma, 523
Pseudacteon, 198
Solenopsis, 198
vector, 523
distribution, 556, 631
Blattella germanica, 556
Cerambycidae, 631
cockroach, 556
esterase, 556
inhibition, 556
pest, 631
Phoracantha, 631
phylogeny, 631
diuresis,
ecdysteroid, 1
juvenile hormone, 1
molting, 1
neuropeptides, 1
oogenesis, 1
diversity estimators,
biodiversity, 435
conservation, 435
Lepidoptera, 435
species richness, 435
dot blot,
enzyme-linked immunosorbent assays, 56
gut content analysis, 56
Helicoverpa armigera, 56
monoclonal antibody, 56
squash blot, 56

E

eavesdropper,
allomone, 960
communication, 960
kairomone, 960
predator, 960
prey, 960
ecdysteroid,
diuresis, 1
juvenile hormone, 1
molting, i
neuropeptides, 1
oogenesis, 1
eclosion,
Dasineura mali, 748
host-finding, 748
mating, 748
oviposition, 748
sex pheromones, 748
ecology, 90, 880
Anthonomus caracasius, 90
Anthonomus sisyphus, 90
behavior, 880
defense, 880
fruit infestation, 90
host-parasite relationships, 880
Malpighia glabra, 90
reproduction, 880
Ecotron,
aphids, 724
climate change, 724
herbivory, 724
plant-insect interactions, 724
populations, 724
ectoparasite,
Androlaelaps casalis, 108
conservation biology, 108
Dermanyssus hirundinis, 108
house wren, 108
mites, 108
egg,
encapsulation, 144
Hyposoter didymator, 144
immature larval stages, 144
scanning electron microscopy, 144
eggs,
Phyllophaga, 47
reproduction, 47
Elachistidae,
coevolution, 971
Depressariinae, 971
insect–plant interactions, 971
phylogeny, 971
electroantennogram,
excitation behavior, 594
olfactometry, 594
electrophysiology,
grasshopper, 873
sensory coding, 873
taste, 873
embryo morphology,
developmental time, 130
Noctuidae, 130
oviposition rate, 130

viability, 130
encapsulation,
egg, 144
Hyposoter didymator, 144
immature larval stages, 144
scanning electron microscopy, 144
Encarsia formosa,
Bemisia argentifolii, 430
cold storage, 430
rearing, 430
endangered species,
conservation legislation, 853
habitats, 853
Red Lists, 853
endoparasitoid,
anal vesicle, 101
circadian rhythm, 101
Cotesia kariyai, 101
Pseudaletia separata, 101
endosymbionts,
Chagas disease, 937
CRUZIGARD, 937
paratransgenesis, 937
Rhodnius prolixus, 937
single-chain antibodies, 937
Ennominae,
Argentina, 460
Chile, 460
Lithinini, 460
taxonomy, 460
entomology,
history, 798
systematics, 798
enzyme-linked immunosorbent assays,
dot blot, 56
gut content analysis, 56
Helicoverpa armigera, 56
monoclonal antibody, 56
squash blot, 56
Ephestia kuehniella,
F_1 sterility, 250
genetic sexing, 250
irradiation, 250
Epiperipatus,
ants, 53
leaf litter, 53
microhabitat, 53
Errhomus,
Bathysmatophorini, 312
biogeography, 312
Cicadellidae, 312
new species, 312
subspecies, 312
esterase,
Blattella germanica, 556
cockroach, 556
distribution, 556
inhibition, 556
evolution, 529, 812
Hawaiian Islands, 529
herbivores, 812
host plant resistance, 812
insect diversity, 529
island biogeography, 529
linear regression, 529
parasitoids, 812
plant–insect evolution, 812
speciation, 529
tritrophic interactions, 812
excitation behavior,
electroantennogram, 594
olfactometry, 594
Exoneura,
allodapine, 707
bee, 707
habitat variation, 707
life cycle, 707
sociality, 707
Exoneurella,
allodapine bees, 20
mitochondrial DNA, 20
eye color,
inheritance pattern, 447
mutant, 447
pigments, 447
Trichoplusia ni, 447

F

F_1 sterility,
Ephestia kuehniella, 250
genetic sexing, 250
irradiation, 250
fecundity,
biological control, 587
Ceraeochrysa cincta, 587
lacewing, 587
sperm depletion, 587
spermatophore, 587
fertility,
oviposition, 278
reproductive success, 278
sperm, 278
Tephritidae, 278

fighting,
aggression, 269
competition, 269
kin recognition, 269
Reticulitermes, 269
subterranean termites, 269
fire ant,
parasitoid, 308
phorid, 308
fire ants,
caste, 563
genetic effects, 563
introduced species, 563
polygyny, 563
Solenopsis invicta, 563
fitness traits,
biological control, 260
body size, 260
inbreeding depression, 260
ladybeetles, 260
Propylea quatuordecimpunctata, 260
Florida harvester ant,
colony growth, 80
colony size, 80
development, 80
seasonality, 80
seed storage, 80
fluid feeding,
fluid mechanics, 153
Hagen–Poiseuille, 153
haustellate, 153
mouthparts, 153
fluid mechanics,
fluid feeding, 153
Hagen–Poiseuille, 153
haustellate, 153
mouthparts, 153
food effect,
Glycine max, 424
Helianthus annuus, 424
Heteroptera, 424
nutrition, 424
fossils,
Blattaria, 292
Cryptocercus, 292
geoflora, 292
molecular clock, 292
symbiosis, 292
fruit damage,
Cydia pomonella, 222
inherited sterility, 222
sterile insect technique, 222
fruit flies,
aedeagal length, 182
Fruit flies,
aedeagal length, 639
Bactrocera carambolae, 639
fruit flies,
Bactrocera dorsalis complex, 182
Fruit flies,
Bactrocera dorsalis complex, 639
fruit flies,
Bactrocera occipitalis, 182
Fruit flies,
Bactrocera papayae, 639
fruit flies,
Bactrocera philippinensis, 182
sympatric species, 182
Fruit flies,
sympatric species, 639
fruit infestation,
Anthonomus caracasius, 90
Anthonomus sisyphus, 90
ecology, 90
Malpighia glabra, 90
Fusarium solani,
ambrosia, 98
coffee, 98
Hypothenemus hampei, 98
Nectria hematococca, 98

G

Galleria mellonella,
biological control, 609
host suitability, 609
parasitoids, 609
Pimla parnarae, 609
sex ratio, 609
galling behavior,
biological control, 717
Parthenium, 717
qualitative evaluation, 717
generalist,
diet breadth, 944
host plant choice, 944
neural constraints, 944
selective attention, 944
specialist, 944
genetic,
DDT, 909
house fly, 909
knockdown resistance, 909
pyrethroids, 909

genetic constraints,
Agromyzidae, 742
genetic variation, 742
host range evolution, 742
leafminer, 742
novel host, 742
genetic diversity,
Daktulosphaira vitifoliae, 376
random amplified polymorphic DNA, 376
Vitis, 376
genetic effects,
caste, 563
fire ants, 563
introduced species, 563
polygyny, 563
Solenopsis invicta, 563
genetic modification,
plant resistance, 788
transgenes, 788
genetic sexing,
Ephestia kuehniella, 250
F_1 sterility, 250
irradiation, 250
genetic transformation,
nondrosophilid insects, 930
transposable element, 930
genetic variation,
Agromyzidae, 742
genetic constraints, 742
host range evolution, 742
leafminer, 742
novel host, 742
genitalia,
Mordellidae, 686
tumbling flower beetles, 686
Virgin Islands, 686
West Indies, 686
geoflora,
Blattaria, 292
Cryptocercus, 292
fossils, 292
molecular clock, 292
symbiosis, 292
Glycine max,
food effect, 424
Helianthus annuus, 424
Heteroptera, 424
nutrition, 424
grasshopper,
electrophysiology, 873
sensory coding, 873
taste, 873
grasshoppers,
Melanoplus, 617
mitochondrial DNA, 617
Orthoptera, 617
phylogeny, 617
gut content analysis,
dot blot, 56
enzyme-linked immunosorbent assays, 56
Helicoverpa armigera, 56
monoclonal antibody, 56
squash blot, 56

H

habitat variation,
allodapine, 707
bee, 707
Exoneura, 707
life cycle, 707
sociality, 707
habitats,
conservation legislation, 853
endangered species, 853
Red Lists, 853
Hagen-Poiseuille,
fluid feeding, 153
fluid mechanics, 153
haustellate, 153
mouthparts, 153
haustellate,
fluid feeding, 153
fluid mechanics, 153
Hagen-Poiseuille, 153
mouthparts, 153
Hawaiian Islands,
evolution, 529
insect diversity, 529
island biogeography, 529
linear regression, 529
speciation, 529
Helianthus annuus,
food effect, 424
Glycine max, 424
Heteroptera, 424
nutrition, 424
Helicoverpa armigera,
dot blot, 56
enzyme-linked immunosorbent assays, 56
gut content analysis, 56

monoclonal antibody, 56
squash blot, 56
herbivores,
evolution, 812
host plant resistance, 812
parasitoids, 812
plant–insect evolution, 812
tritrophic interactions, 812
herbivory,
aphids, 724
climate change, 724
Ecotron, 724
plant-insect interactions, 724
populations, 724
Heteroptera,
food effect, 424
Glycine max, 424
Helianthus annuus, 424
nutrition, 424
history,
entomology, 798
systematics, 798
host discrimination,
host-parasitoid dynamics, 601
Ichneumonidae, 601
interspecific competition, 601
parasitoids, 601
superparasitism, 601
host plant choice,
diet breadth, 944
generalist, 944
neural constraints, 944
selective attention, 944
specialist, 944
host plant resistance,
evolution, 812
herbivores, 812
parasitoids, 812
plant–insect evolution, 812
tritrophic interactions, 812
host range evolution,
Agromyzidae, 742
genetic constraints, 742
genetic variation, 742
leafminer, 742
novel host, 742
host suitability,
biological control, 609
Galleria mellonella, 609
parasitoids, 609
Pimla parnarae, 609
sex ratio, 609
host-finding behavior,
Bostrichidae, 766
cassava, 766
Dinoderus bifoveolatus, 766
Prostephanus truncatus, 766
Rhyzopertha dominica, 766
host-finding,
Dasineura mali, 748
eclosion, 748
mating, 748
oviposition, 748
sex pheromones, 748
host-parasite relationships,
behavior, 880
defense, 880
ecology, 880
reproduction, 880
host-parasitoid dynamics,
host discrimination, 601
Ichneumonidae, 601
interspecific competition, 601
parasitoids, 601
superparasitism, 601
host-strains,
hybridization, 175
polymorphisms, 175
speciation, 175
Spodoptera, 175
house fly, 829, 909
aerobiology, 829
DDT, 909
genetic, 909
knockdown resistance, 909
migration, 829
pyrethroids, 909
screwworm, 829
stable fly, 829
vector-borne disease, 829
house wren,
Androlaelaps casalis, 108
conservation biology, 108
Dermanyssus hirundinis, 108
ectoparasite, 108
mites, 108
hummingbird flower mites,
mate finding, 952
phoresy, 952
sex ratio, 952
sexual sorting, 952
Hyalomyzus,

Aphididae, 488
Aphids, 488
hybridization, 40, 175, 758
apple skinworm, 40
Argyrotaenia citrana, 40
Bactrocera, 758
California Channel Islands, 40
carambola fruit fly, 758
host-strains, 175
light intensity, 758
oriental fruit fly, 758
polymorphisms, 175
speciation, 175
Spodoptera, 175
sterile insects, 758
Hymenoptera,
Bracon, 110
complementary sex determination, 110
diploid males, 110
Hyposoter didymator,
egg, 144
encapsulation, 144
immature larval stages, 144
scanning electron microscopy, 144
Hypothenemus hampei,
ambrosia, 98
coffee, 98
Fusarium solani, 98
Nectria hematococca, 98

I

ibotenic acid,
avermectin, 902
neurotransmitter, 902
Pieris rapae, 902
spider toxin, 902
Ichneumonidae,
host discrimination, 601
host-parasitoid dynamics, 601
interspecific competition, 601
parasitoids, 601
superparasitism, 601
imaginal feeding,
Plecoptera, 218
Systellognatha, 218
immature larval stages,
egg, 144
encapsulation, 144
Hyposoter didymator, 144
scanning electron microscopy, 144
inbreeding depression,
biological control, 260
body size, 260
fitness traits, 260
ladybeetles, 260
Propylea quatuordecimpunctata, 260
Incoxoverpa,
phylogeny, 644
species keys, 644
stiletto flies, 644
Tabuda, 644
Tabudamima, 644
inheritance pattern,
eye color, 447
mutant, 447
pigments, 447
Trichoplusia ni, 447
inherited sterility,
Cydia pomonella, 222
fruit damage, 222
sterile insect technique, 222
inhibition,
Blattella germanica, 556
cockroach, 556
distribution, 556
esterase, 556
insect breathing,
aeriferous tracheae, 916
CO_2 elimination, 916
CO_2 releasing organs, 916
inspirations, 916
respiratory acidaemia, 916
insect cell lines,
mariner transposable element, 442
Pycnocelus surinamensis, 442
insect diversity,
evolution, 529
Hawaiian Islands, 529
island biogeography, 529
linear regression, 529
speciation, 529
insecticide resistance,
crop diversification, 840
natural enemies, 840
pest outbreaks, 840
secondary primary pests, 840
insect–plant interactions,
coevolution, 971
Depressariinae, 971
Elachistidae, 971
phylogeny, 971
inspirations,

aeriferous tracheae, 916
CO_2 elimination, 916
CO_2 releasing organs, 916
insect breathing, 916
respiratory acidaemia, 916
instars,
Lissorhoptrus kuscheli, 236
rice, 236
interspecific competition,
host discrimination, 601
host-parasitoid dynamics, 601
Ichneumonidae, 601
parasitoids, 601
superparasitism, 601
introduced species,
caste, 563
fire ants, 563
genetic effects, 563
polygyny, 563
Solenopsis invicta, 563
inversion polymorphism,
Anopheles annularis, 243
Polytene chromosomes, 243
sibling species, 243
irradiation,
Ephestia kuehniella, 250
F_1 sterility, 250
genetic sexing, 250
Ischnocera,
Columbicola, 675
Columbiformes, 675
New World, 675
taxonomy, 675
island biogeography,
evolution, 529
Hawaiian Islands, 529
insect diversity, 529
linear regression, 529
speciation, 529

J

Juniperus,
Argyrotaenia, 473
Cupressaceae, 473
phylogenetics, 473
systematics, 473
juvenile hormone,
diuresis, 1
ecdysteroid, 1
molting, 1
neuropeptides, 1
oogenesis, 1

K

kairomone,
allomone, 960
communication, 960
eavesdropper, 960
predator, 960
prey, 960
kin recognition,
aggression, 269
competition, 269
fighting, 269
Reticulitermes, 269
subterranean termites, 269
knockdown resistance,
DDT, 909
genetic, 909
house fly, 909
pyrethroids, 909

L

lacewing,
biological control, 587
Ceraeochrysa cincta, 587
fecundity, 587
sperm depletion, 587
spermatophore, 587
ladybeetles,
biological control, 260
body size, 260
fitness traits, 260
inbreeding depression, 260
Propylea quatuordecimpunctata, 260
leaf litter,
ants, 53
Epiperipatus, 53
microhabitat, 53
leafminer,
Agromyzidae, 742
genetic constraints, 742
genetic variation, 742
host range evolution, 742
novel host, 742
lek,
Ceratitis capitata, 571
courtship behavior, 571
mate choice, 571
morphology, 571
sexual selection, 571
Lepidoptera,
biodiversity, 435
conservation, 435
diversity estimators, 435

species richness, 435
Leptinotarsa decemlineata,
allozymes, 230
cellulose acetate gel electrophoresis, 230
phosphoglucomutase, 230
sperm precedence, 230
life cycle,
allodapine, 707
bee, 707
Exoneura, 707
habitat variation, 707
sociality, 707
life history,
Camponotus quercicola, 514
cytochrome oxidase I, 514
phylogeny, 514
polygyny, 514
taxonomy, 514
life-tables,
biological control, 208
Ceraeochrysa spp., 208
development, 208
photoperiod, 208
reproduction, 208
light intensity,
Bactrocera, 758
carambola fruit fly, 758
hybridization, 758
oriental fruit fly, 758
sterile insects, 758
linear regression,
evolution, 529
Hawaiian Islands, 529
insect diversity, 529
island biogeography, 529
speciation, 529
Lissorhoptrus kuscheli,
instars, 236
rice, 236
Lithinini,
Argentina, 460
Chile, 460
Ennominae, 460
taxonomy, 460
local field potential oscillations,
antennal lobe, 861
projection neurons, 861
rate code, 861
receptor neurons, 861
temporal code, 861
Lygus,
alfalfa, 370
biological control, 370
parasites, 370
Peristenus, 370
Lymantria dispar,
molecular markers, 737
nucleic acids, 737
polymerase chain reaction, 737

M

Macrosteles quadrilineatus,
dispersal, 523
movement, 523
phytoplasma, 523
vector, 523
Malpighia glabra,
Anthonomus caracasius, 90
Anthonomus sisyphus, 90
ecology, 90
fruit infestation, 90
mariner transposable element,
insect cell lines, 442
Pycnocelus surinamensis, 442
masculinization,
brood parasitism, 239
Paralictus asteris, 239
phenocopy, 239
sex transfer, 239
social parasitism, 239
mate choice,
Ceratitis capitata, 571
courtship behavior, 571
lek, 571
morphology, 571
sexual selection, 571
mate finding,
hummingbird flower mites, 952
phoresy, 952
sex ratio, 952
sexual sorting, 952
mating,
Dasineura mali, 748
eclosion, 748
host-finding, 748
oviposition, 748
sex pheromones, 748
Melanoplus,
grasshoppers, 617
mitochondrial DNA, 617
Orthoptera, 617
phylogeny, 617

microhabitat,
ants, 53
Epiperipatus, 53
leaf litter, 53
migration,
aerobiology, 829
house fly, 829
screwworm, 829
stable fly, 829
vector-borne disease, 829
mimicry,
predation, 14
prey–predator, 14
Pyrrhocoridae, 14
Reduviidae, 14
mites,
Androlaelaps casalis, 108
conservation biology, 108
Dermanyssus hirundinis, 108
ectoparasite, 108
house wren, 108
mitochondrial DNA, 20, 193, 355, 617
allodapine bees, 20
bumblebees, 355
cytochrome b, 355
cytochrome oxidase I, 355
Dendroctonus brevicomis, 193
Exoneurella, 20
grasshoppers, 617
Melanoplus, 617
Orthoptera, 617
phylogeny, 355, 617
ponderosa pine, 193
Pyrobombus, 355
speciation, 193
mitochondrial genotype,
Africanized honey bees, 167
Apis mellifera scutellata, 167
morphometrics, 167
race identification, 167
mitochondrial rDNA genes,
phylogenetic comparison, 117
ticks, 117
model, 382, 396
Anthonomus grandis grandis, 382, 396
cotton, 382, 396
diapause, 382, 396
molecular clock,
Blattaria, 292
Cryptocercus, 292
fossils, 292
geoflora, 292
symbiosis, 292
molecular markers,
Lymantria dispar, 737
nucleic acids, 737
polymerase chain reaction, 737
molting,
diuresis, 1
ecdysteroid, 1
juvenile hormone, 1
neuropeptides, 1
oogenesis, 1
monoclonal antibody,
dot blot, 56
enzyme-linked immunosorbent assays, 56
gut content analysis, 56
Helicoverpa armigera, 56
squash blot, 56
Mordellidae,
genitalia, 686
tumbling flower beetles, 686
Virgin Islands, 686
West Indies, 686
morphology, 139, 571
Blattella, 139
Ceratitis capitata, 571
cockroach, 139
courtship behavior, 571
lek, 571
mate choice, 571
sexual selection, 571
morphometrics,
Africanized honey bees, 167
Apis mellifera scutellata, 167
mitochondrial genotype, 167
race identification, 167
moth,
pheromone biosynthesis, 891
pheromone-biosynthesis-activating neuropeptide, 891
tobacco budworm, 891
mouthparts,
fluid feeding, 153
fluid mechanics, 153
Hagen–Poiseuille, 153
haustellate, 153
movement,
dispersal, 523
Macrosteles quadrilineatus, 523

phytoplasma, 523
vector, 523
mutant,
eye color, 447
inheritance pattern, 447
pigments, 447
Trichoplusia ni, 447
mycangia,
bark beetles, 159
cospeciation, 159
Dendroctonus, 159
mycangial fungi, 159
Ophiostoma, 159
mycangial fungi,
bark beetles, 159
cospeciation, 159
Dendroctonus, 159
mycangia, 159
Ophiostoma, 159
Myzus persicae,
potato virus Y, 542
Rhopalosiphum maidis, 542
soybean mosaic virus, 542

N

natural enemies,
crop diversification, 840
insecticide resistance, 840
pest outbreaks, 840
secondary primary pests, 840
Nectria hematococca,
ambrosia, 98
coffee, 98
Fusarium solani, 98
Hypothenemus hampei, 98
nest relocation,
ant community, 414
polydomy, 414
spatial position, 414
neural constraints,
diet breadth, 944
generalist, 944
host plant choice, 944
selective attention, 944
specialist, 944
neuropeptides,
diuresis, 1
ecdysteroid, 1
juvenile hormone, 1
molting, 1
oogenesis, 1
neurotransmitter,
avermectin, 902
ibotenic acid, 902
Pieris rapae, 902
spider toxin, 902
new species,
Bathysmatophorini, 312
biogeography, 312
Cicadellidae, 312
Errhomus, 312
subspecies, 312
New World,
Columbicola, 675
Columbiformes, 675
Ischnocera, 675
taxonomy, 675
Noctuidae, 130, 702
developmental time, 130
embryo morphology, 130
oviposition, 702
oviposition rate, 130
soybean, 702
viability, 130
nondrosophilid insects,
genetic transformation, 930
transposable element, 930
novel host,
Agromyzidae, 742
genetic constraints, 742
genetic variation, 742
host range evolution, 742
leafminer, 742
nucleic acids,
Lymantria dispar, 737
molecular markers, 737
polymerase chain reaction, 737
nutrition,
food effect, 424
Glycine max, 424
Helianthus annuus, 424
Heteroptera, 424

O

olfactometry,
electroantennogram, 594
excitation behavior, 594
oogenesis,
diuresis, 1
ecdysteroid, 1
juvenile hormone, 1
molting, 1
neuropeptides, 1
Ophiostoma,

bark beetles, 159
cospeciation, 159
Dendroctonus, 159
mycangia, 159
mycangial fungi, 159
oriental fruit fly,
Bactrocera, 758
carambola fruit fly, 758
hybridization, 758
light intensity, 758
sterile insects, 758
Orthoptera,
grasshoppers, 617
Melanoplus, 617
mitochondrial DNA, 617
phylogeny, 617
oviposition, 278, 702, 748
Dasineura mali, 748
eclosion, 748
fertility, 278
host-finding, 748
mating, 748
Noctuidae, 702
reproductive success, 278
sex pheromones, 748
soybean, 702
sperm, 278
Tephritidae, 278
oviposition rate,
developmental time, 130
embryo morphology, 130
Noctuidae, 130
viability, 130

P

Paralictus asteris,
brood parasitism, 239
masculinization, 239
phenocopy, 239
sex transfer, 239
social parasitism, 239
parasites,
alfalfa, 370
biological control, 370
Lygus, 370
Peristenus, 370
parasitism,
biological control, 198
dispersal, 198
phenology, 198
Pseudacteon, 198
Solenopsis, 198
parasitoid, 71, 308
Aphelinidae, 71
Aphelinus, 71
aphid, 71
Aphididae, 71
biological control, 71
fire ant, 308
phorid, 308
parasitoids, 601, 609, 812
biological control, 609
evolution, 812
Galleria mellonella, 609
herbivores, 812
host discrimination, 601
host plant resistance, 812
host suitability, 609
host-parasitoid dynamics, 601
Ichneumonidae, 601
interspecific competition, 601
Pimla parnarae, 609
plant–insect evolution, 812
sex ratio, 609
superparasitism, 601
tritrophic interactions, 812
paratransgenesis,
Chagas disease, 937
CRUZIGARD, 937
endosymbionts, 937
Rhodnius prolixus, 937
single-chain antibodies, 937
Parthenium,
biological control, 717
galling behavior, 717
qualitative evaluation, 717
Peristenus,
alfalfa, 370
biological control, 370
Lygus, 370
parasites, 370
pest,
Cerambycidae, 631
distribution, 631
Phoracantha, 631
phylogeny, 631
pest outbreaks,
crop diversification, 840
insecticide resistance, 840
natural enemies, 840
secondary primary pests, 840
phenocopy,
brood parasitism, 239

masculinization, 239
Paralictus asteris, 239
sex transfer, 239
social parasitism, 239
phenology,
biological control, 198
dispersal, 198
parasitism, 198
Pseudacteon, 198
Solenopsis, 198
phenotypic plasticity,
Bemisia, 774
crawler experience, 774
plant resistance, 774
Trialeurodes, 774
whiteflies, 774
pheromone biosynthesis,
moth, 891
pheromone-biosynthesis-activating neuropeptide, 891
tobacco budworm, 891
pheromone-biosynthesis-activating neuropeptide,
moth, 891
pheromone biosynthesis, 891
tobacco budworm, 891
Phoracantha,
Cerambycidae, 631
distribution, 631
pest, 631
phylogeny, 631
phoresy,
hummingbird flower mites, 952
mate finding, 952
sex ratio, 952
sexual sorting, 952
phorid,
fire ant, 308
parasitoid, 308
phosphoglucomutase,
allozymes, 230
cellulose acetate gel electrophoresis, 230
Leptinotarsa decemlineata, 230
sperm precedence, 230
photoperiod,
biological control, 208
Ceraeochrysa spp., 208
development, 208
life-tables, 208
reproduction, 208
Phyllophaga,
eggs, 47
reproduction, 47
Phyllotreta,
allozymes, 30
biochemical systematics, 30
Chrysomelidae, 30
phylogenetic comparison,
mitochondrial rDNA genes, 117
ticks, 117
phylogenetics,
Argyrotaenia, 473
Cupressaceae, 473
Juniperus, 473
systematics, 473
phylogeny, 355, 514, 617, 624, 631, 644, 971
bumblebees, 355
Camponotus quercicola, 514
Cerambycidae, 631
coevolution, 971
cytochrome b, 355
cytochrome oxidase I, 355, 514
Depressariinae, 971
distribution, 631
Elachistidae, 971
grasshoppers, 617
Incoxoverpa, 644
insect–plant interactions, 971
life history, 514
Melanoplus, 617
mitochondrial DNA, 355, 617
Orthoptera, 617
pest, 631
Phoracantha, 631
polygyny, 514
Pyrobombus, 355
species keys, 644
stiletto flies, 644
systematics, 624
Tabuda, 644
Tabudamima, 644
taxonomy, 514, 624
zoogeography, 624
phytoplasma,
dispersal, 523
Macrosteles quadrilineatus, 523
movement, 523
vector, 523
Pieris rapae,
avermectin, 902

ibotenic acid, 902
neurotransmitter, 902
spider toxin, 902
pigments,
eye color, 447
inheritance pattern, 447
mutant, 447
Trichoplusia ni, 447
Pimla parnarae,
biological control, 609
Galleria mellonella, 609
host suitability, 609
parasitoids, 609
sex ratio, 609
Pinus elliotti,
community ecology, 63
Crematogaster ashmeadi, 63
Pinus palustris, 63
red-cockaded woodpecker, 63
species diversity, 63
Pinus palustris,
community ecology, 63
Crematogaster ashmeadi, 63
Pinus elliotti, 63
red-cockaded woodpecker, 63
species diversity, 63
plant resistance, 774, 788
Bemisia, 774
crawler experience, 774
genetic modification, 788
phenotypic plasticity, 774
transgenes, 788
Trialeurodes, 774
whiteflies, 774
plant–insect evolution,
evolution, 812
herbivores, 812
host plant resistance, 812
parasitoids, 812
tritrophic interactions, 812
plant-insect interactions,
aphids, 724
climate change, 724
Ecotron, 724
herbivory, 724
populations, 724
Platypedia putnami,
acoustic behavior, 451
cicadas, 451
crepitation, 451
sound pressure level, 451
timbal song, 451
Plecoptera,
imaginal feeding, 218
Systellognatha, 218
Polea,
Calophyllum, 188
Coccoidea, 188
taxonomy, 188
polydomy,
ant community, 414
nest relocation, 414
spatial position, 414
polygyny, 514, 563
Camponotus quercicola, 514
caste, 563
cytochrome oxidase I, 514
fire ants, 563
genetic effects, 563
introduced species, 563
life history, 514
phylogeny, 514
Solenopsis invicta, 563
taxonomy, 514
polymerase chain reaction,
Lymantria dispar, 737
molecular markers, 737
nucleic acids, 737
polymorphisms,
host-strains, 175
hybridization, 175
speciation, 175
Spodoptera, 175
Polyphagidae,
biogeography, 303
Blattaria, 303
cockroaches, 303
Cryptocercus, 303
symbiosis, 303
Polytene chromosomes,
Anopheles annularis, 243
inversion polymorphism, 243
sibling species, 243
ponderosa pine,
Dendroctonus brevicomis, 193
mitochondrial DNA, 193
speciation, 193
population structure,
allozymes, 731
Anastrepha fraterculus, 731
populations,
aphids, 724

climate change, 724
Ecotron, 724
herbivory, 724
plant-insect interactions, 724
potato virus Y,
Myzus persicae, 542
Rhopalosiphum maidis, 542
soybean mosaic virus, 542
predation,
mimicry, 14
prey–predator, 14
Pyrrhocoridae, 14
Reduviidae, 14
predator,
allomone, 960
communication, 960
eavesdropper, 960
kairomone, 960
prey, 960
predator–prey interaction,
Anthocoridae, 537
climatic distribution, 537
cost of reproduction, 537
resource allocation, 537
prey,
allomone, 960
communication, 960
eavesdropper, 960
kairomone, 960
predator, 960
prey–predator,
mimicry, 14
predation, 14
Pyrrhocoridae, 14
Reduviidae, 14
projection neurons,
antennal lobe, 861
local field potential oscillations, 861
rate code, 861
receptor neurons, 861
temporal code, 861
Propylea quatuordecimpunctata,
biological control, 260
body size, 260
fitness traits, 260
inbreeding depression, 260
ladybeetles, 260
Prostephanus truncatus,
Bostrichidae, 766
cassava, 766
Dinoderus bifoveolatus, 766
host-finding behavior, 766
Rhyzopertha dominica, 766
Pseudacteon,
biological control, 198
dispersal, 198
parasitism, 198
phenology, 198
Solenopsis, 198
Pseudaletia separata,
anal vesicle, 101
circadian rhythm, 101
Cotesia kariyai, 101
endoparasitoid, 101
Pycnocelus surinamensis,
insect cell lines, 442
mariner transposable element, 442
pyrethroids,
DDT, 909
genetic, 909
house fly, 909
knockdown resistance, 909
Pyrobombus,
bumblebees, 355
cytochrome b, 355
cytochrome oxidase I, 355
mitochondrial DNA, 355
phylogeny, 355
Pyrrhocoridae,
mimicry, 14
predation, 14
prey–predator, 14
Reduviidae, 14

Q

qualitative evaluation,
biological control, 717
galling behavior, 717
Parthenium, 717
queen aggregation,
attractiveness, 578
coexistence, 578
red imported fire ant, 578

R

race identification,
Africanized honey bees, 167
Apis mellifera scutellata, 167
mitochondrial genotype, 167
morphometrics, 167
random amplified polymorphic DNA,
Daktulosphaira vitifoliae, 376

genetic diversity, 376
Vitis, 376
rate code,
antennal lobe, 861
local field potential oscillations, 861
projection neurons, 861
receptor neurons, 861
temporal code, 861
rearing,
Bemisia argentifolii, 430
cold storage, 430
Encarsia formosa, 430
receptor neurons,
antennal lobe, 861
local field potential oscillations, 861
projection neurons, 861
rate code, 861
temporal code, 861
red imported fire ant,
attractiveness, 578
coexistence, 578
queen aggregation, 578
Red Lists,
conservation legislation, 853
endangered species, 853
habitats, 853
red-cockaded woodpecker,
community ecology, 63
Crematogaster ashmeadi, 63
Pinus elliotti, 63
Pinus palustris, 63
species diversity, 63
Reduviidae,
mimicry, 14
predation, 14
prey–predator, 14
Pyrrhocoridae, 14
reproduction, 47, 208, 880
behavior, 880
biological control, 208
Ceraeochrysa spp., 208
defense, 880
development, 208
ecology, 880
eggs, 47
host-parasite relationships, 880
life-tables, 208
photoperiod, 208
Phyllophaga, 47
reproductive success,
fertility, 278
oviposition, 278
sperm, 278
Tephritidae, 278
resource allocation,
Anthocoridae, 537
climatic distribution, 537
cost of reproduction, 537
predator–prey interaction, 537
respiratory acidaemia,
aeriferous tracheae, 916
CO_2 elimination, 916
CO_2 releasing organs, 916
insect breathing, 916
inspirations, 916
Reticulitermes,
aggression, 269
competition, 269
fighting, 269
kin recognition, 269
subterranean termites, 269
Rhodnius prolixus,
Chagas disease, 937
CRUZIGARD, 937
endosymbionts, 937
paratransgenesis, 937
single-chain antibodies, 937
Rhopalosiphum maidis,
Myzus persicae, 542
potato virus Y, 542
soybean mosaic virus, 542
Rhyzopertha dominica,
Bostrichidae, 766
cassava, 766
Dinoderus bifoveolatus, 766
host-finding behavior, 766
Prostephanus truncatus, 766
rice,
instars, 236
Lissorhoptrus kuscheli, 236

S

scanning electron microscopy,
egg, 144
encapsulation, 144
Hyposoter didymator, 144
immature larval stages, 144
screwworm,
aerobiology, 829
house fly, 829
migration, 829
stable fly, 829
vector-borne disease, 829

seasonality,
colony growth, 80
colony size, 80
development, 80
Florida harvester ant, 80
seed storage, 80
secondary primary pests,
crop diversification, 840
insecticide resistance, 840
natural enemies, 840
pest outbreaks, 840
seed storage,
colony growth, 80
colony size, 80
development, 80
Florida harvester ant, 80
seasonality, 80
selective attention,
diet breadth, 944
generalist, 944
host plant choice, 944
neural constraints, 944
specialist, 944
sensory coding,
electrophysiology, 873
grasshopper, 873
taste, 873
sex pheromones,
Dasineura mali, 748
eclosion, 748
host-finding, 748
mating, 748
oviposition, 748
sex ratio, 609, 952
biological control, 609
Galleria mellonella, 609
host suitability, 609
hummingbird flower mites, 952
mate finding, 952
parasitoids, 609
phoresy, 952
Pimla parnarae, 609
sexual sorting, 952
sex transfer,
brood parasitism, 239
masculinization, 239
Paralictus asteris, 239
phenocopy, 239
social parasitism, 239
sexual selection,
Ceratitis capitata, 571
courtship behavior, 571
lek, 571
mate choice, 571
morphology, 571
sexual sorting,
hummingbird flower mites, 952
mate finding, 952
phoresy, 952
sex ratio, 952
sibling species,
Anopheles annularis, 243
inversion polymorphism, 243
Polytene chromosomes, 243
simulation model,
adult prediapause development, 403
Anthonomus grandis grandis, 403
cotton, 403
single-chain antibodies,
Chagas disease, 937
CRUZIGARD, 937
endosymbionts, 937
paratransgenesis, 937
Rhodnius prolixus, 937
social parasitism,
brood parasitism, 239
masculinization, 239
Paralictus asteris, 239
phenocopy, 239
sex transfer, 239
sociality,
allodapine, 707
bee, 707
Exoneura, 707
habitat variation, 707
life cycle, 707
Solenopsis,
biological control, 198
dispersal, 198
parasitism, 198
phenology, 198
Pseudacteon, 198
Solenopsis invicta,
caste, 563
fire ants, 563
genetic effects, 563
introduced species, 563
polygyny, 563
sound pressure level,
acoustic behavior, 451
cicadas, 451
crepitation, 451

Platypedia putnami, 451
timbal song, 451
soybean,
Noctuidae, 702
oviposition, 702
soybean mosaic virus,
Myzus persicae, 542
potato virus Y, 542
Rhopalosiphum maidis, 542
spatial position,
ant community, 414
nest relocation, 414
polydomy, 414
specialist,
diet breadth, 944
generalist, 944
host plant choice, 944
neural constraints, 944
selective attention, 944
speciation, 175, 193, 529
Dendroctonus brevicomis, 193
evolution, 529
Hawaiian Islands, 529
host-strains, 175
hybridization, 175
insect diversity, 529
island biogeography, 529
linear regression, 529
mitochondrial DNA, 193
polymorphisms, 175
ponderosa pine, 193
Spodoptera, 175
species diversity,
community ecology, 63
Crematogaster ashmeadi, 63
Pinus elliotti, 63
Pinus palustris, 63
red-cockaded woodpecker, 63
species keys,
Incoxoverpa, 644
phylogeny, 644
stiletto flies, 644
Tabuda, 644
Tabudamima, 644
species richness,
biodiversity, 435
conservation, 435
diversity estimators, 435
Lepidoptera, 435
sperm,
fertility, 278
oviposition, 278
reproductive success, 278
Tephritidae, 278
sperm depletion,
biological control, 587
Ceraeochrysa cincta, 587
fecundity, 587
lacewing, 587
spermatophore, 587
sperm precedence,
allozymes, 230
cellulose acetate gel electrophoresis, 230
Leptinotarsa decemlineata, 230
phosphoglucomutase, 230
spermatophore,
biological control, 587
Ceraeochrysa cincta, 587
fecundity, 587
lacewing, 587
sperm depletion, 587
spider toxin,
avermectin, 902
ibotenic acid, 902
neurotransmitter, 902
Pieris rapae, 902
split sting,
Apis millifera, 549
cold shock, 549
development, 549
Spodoptera,
host-strains, 175
hybridization, 175
polymorphisms, 175
speciation, 175
squash blot,
dot blot, 56
enzyme-linked immunosorbent assays, 56
gut content analysis, 56
Helicoverpa armigera, 56
monoclonal antibody, 56
stable fly,
aerobiology, 829
house fly, 829
migration, 829
screwworm, 829
vector-borne disease, 829
sterile insect technique,
Cydia pomonella, 222
fruit damage, 222

inherited sterility, 222
sterile insects,
Bactrocera, 758
carambola fruit fly, 758
hybridization, 758
light intensity, 758
oriental fruit fly, 758
stiletto flies,
Incoxoverpa, 644
phylogeny, 644
species keys, 644
Tabuda, 644
Tabudamima, 644
subspecies,
Bathysmatophorini, 312
biogeography, 312
Cicadellidae, 312
Errhomus, 312
new species, 312
subterranean termites,
aggression, 269
competition, 269
fighting, 269
kin recognition, 269
Reticulitermes, 269
superparasitism,
host discrimination, 601
host-parasitoid dynamics, 601
Ichneumonidae, 601
interspecific competition, 601
parasitoids, 601
symbiosis, 285, 292, 303
biogeography, 285, 303
Blattaria, 285, 292, 303
cockroaches, 285, 303
Cryptocercus, 285
Cryptocercus, 292, 303
fossils, 292
geoflora, 292
molecular clock, 292
Polyphagidae, 303
sympatric species, 182, 639
aedeagal length, 182, 639
Bactrocera carambolae, 639
Bactrocera dorsalis complex, 182, 639
Bactrocera occipitalis, 182
Bactrocera papayae, 639
Bactrocera philippinensis, 182
fruit flies, 182
Fruit flies, 639
Systellognatha,
imaginal feeding, 218
Plecoptera, 218
systematics, 473, 624, 798
Argyrotaenia, 473
Cupressaceae, 473
entomology, 798
history, 798
Juniperus, 473
phylogenetics, 473
phylogeny, 624
taxonomy, 624
zoogeography, 624

T

Tabuda,
Incoxoverpa, 644
phylogeny, 644
species keys, 644
stiletto flies, 644
Tabudamima, 644
Tabudamima,
Incoxoverpa, 644
phylogeny, 644
species keys, 644
stiletto flies, 644
Tabuda, 644
taste,
electrophysiology, 873
grasshopper, 873
sensory coding, 873
taxonomy, 188, 460, 514, 624, 675
Argentina, 460
Calophyllum, 188
Camponotus quercicola, 514
Chile, 460
Coccoidea, 188
Columbicola, 675
Columbiformes, 675
cytochrome oxidase I, 514
Ennominae, 460
Ischnocera, 675
life history, 514
Lithinini, 460
New World, 675
phylogeny, 514, 624
Polea, 188
polygyny, 514
systematics, 624
zoogeography, 624
temporal code,
antennal lobe, 861

local field potential oscillations, 861
projection neurons, 861
rate code, 861
receptor neurons, 861
Tephritidae,
fertility, 278
oviposition, 278
reproductive success, 278
sperm, 278
ticks,
mitochondrial rDNA genes, 117
phylogenetic comparison, 117
timbal song,
acoustic behavior, 451
cicadas, 451
crepitation, 451
Platypedia putnami, 451
sound pressure level, 451
tobacco budworm,
moth, 891
pheromone biosynthesis, 891
pheromone-biosynthesis-activating neuropeptide, 891
transgenes,
genetic modification, 788
plant resistance, 788
transposable element,
genetic transformation, 930
nondrosophilid insects, 930
Trialeurodes,
Bemisia, 774
crawler experience, 774
phenotypic plasticity, 774
plant resistance, 774
whiteflies, 774
Trichoplusia ni,
eye color, 447
inheritance pattern, 447
mutant, 447
pigments, 447
tritrophic interactions,
evolution, 812
herbivores, 812
host plant resistance, 812
parasitoids, 812
plant–insect evolution, 812
tumbling flower beetles,
genitalia, 686
Mordellidae, 686
Virgin Islands, 686
West Indies, 686

V

vector,
dispersal, 523
Macrosteles quadrilineatus, 523
movement, 523
phytoplasma, 523
vector-borne disease,
aerobiology, 829
house fly, 829
migration, 829
screwworm, 829
stable fly, 829
viability,
developmental time, 130
embryo morphology, 130
Noctuidae, 130
oviposition rate, 130
Virgin Islands,
genitalia, 686
Mordellidae, 686
tumbling flower beetles, 686
West Indies, 686
Vitis,
Daktulosphaira vitifoliae, 376
genetic diversity, 376
random amplified polymorphic DNA, 376

W

West Indies,
genitalia, 686
Mordellidae, 686
tumbling flower beetles, 686
Virgin Islands, 686
whiteflies,
Bemisia, 774
crawler experience, 774
phenotypic plasticity, 774
plant resistance, 774
Trialeurodes, 774
whitefly,
cladistics, 359
classification, 359
Dialeurodes, 359

Z

zoogeography,
phylogeny, 624
systematics, 624
taxonomy, 624